

LU11c - Multibranch-Pipeline

Jenkins-Multibranch-Pipeline

Eine Multibranch-Pipeline bei Jenkins scannt alle Branches nach der Suche nach Jenkinsfiles. Bei Branches, die ein Jenkinsfile enthalten wird automatisch eine entsprechende Pipeline angelegt.

Diese kann manuell, periodisch per CRON-Expression oder via Webhook (bei Commit/Merge) gestartet werden. Für unseren Zweck reicht das manuelle Starten.

Um eine neue Multibranch-Pipeline anzulegen, klicken Sie auf Jenkins auf Element anlegen und wählen dann Multibranch Pipeline. Ausser einem Namen und Ihrem Repository müssen Sie nichts zwingend eingeben.

The screenshot shows the Jenkins configuration page for a new Multibranch Pipeline. It includes a 'Display Name' field with the value 'AlexanderPeter Multibranch-Pipeline - cicd', a 'Description' text area, a 'Branch Sources' section with a 'Git' provider selected and the 'Project Repository' field containing 'https://github.com/AlexanderPeter/cicd'. There are also small icons for help and a close button.

From:
<https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link:
<https://wiki.bzz.ch/de/modul/ffit/3-jahr/cicd/learningunits/lu11/c>

Last update: **2026/05/12 09:01**

