LU06a - Syntax of a DQL-Select statement

As we know, **SQL** stands for **S**tructured **Q**uery **L**anguage. Consequently, It should come as no surprise that SQL is indeed consistently structured. The figure below shows the structure of a exhaustive SQL statement.

Order	Keywords	Expression	Purpose		
5	SELECT	<select list=""></select>	Specifies which columns to return.		
1	FROM		Defines the table(s) to query		
2	WHERE	<search condition=""></search>	Filters out the records to return		
3	GROUP BY	<group by="" list=""></group>	Arranges records into groups		
4	HAVING	<search condition=""> Filters down the groups</search>			
6	ORDER BY	<order by="" list=""> Sorts the returned records</order>			

NOTES

- The content of this chapter is based on the W3School-SQL-tutorial.
- Please note that the use og CAPITAL LETTERS for SQL commands and tabs can make it easier for you to maintain your program code.
- Make sure, that every complete sql statement is finished by a semicolon (;).

The Syntax of DML commands

Every SQL query is composed by three main commands:

- **SELECT** myColumn1, myColumn2, ... [or * for all columns]
- FROM myTable
- WHERE myCondition.
- ORDER BY myColumn2 ASC|DESC;

With **SELECT** we specify which columns we want to retrieve, with **FROM** we specify the TABLE from which the columns originate, with **WHERE** we determine the condition under which the data records are selected, and finally, with **ORDER BY** + **[ASC | DESC]** we define the order in which the result set is to be displayed on the screen.

Basic example

Let's take a table **Customers** as shown in the figure below.

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Germany
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021	Mexico
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mexico
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK

To retrieve all the information, which are stored in this table, our SQL command would be like follows.

```
SELECT *
FROM Customers;
```

or as a more detailed notation

```
SELECT CustomerID, CustomerName, ContactName, Address, City, PostalCode, Country
FROM Customers;
```

The result set would include the entire contents of the table, since we we have not defined any preconditions or filters.

Vocabulary

English	German			
precondition	Vorbedingung			
exhaustive	erschöpfend, vollständig			
clause	Abschnitt			
to determine	bestimmen			
to fetch	abrufen, holen			
be composed by	besteht aus			
notation	Schreibweise			



https://wiki.bzz.ch/ Printed on 2025/12/05 12:02

From:

https://wiki.bzz.ch/ - BZZ - Modulwiki

Permanent link:

 $https://wiki.bzz.ch/en/modul/m290/learningunits/lu04/theorie/a_syntax$

Last update: 2024/10/17 12:33

