

LU05.S02 - VUE Directives warm up

ZipFile with the HTML code-solution

Hints

- You can download the file and copy the content into the code area of the W3School on the left hand side of the coding window.
- You can execute the code by pressing the *run* button
- The result will be presented in the right hand side of the window.

Assignments

1. box-colour change

1. Test the given script
2. Create a new CSS-Class **blueBG** in analogy to **pinkBG**. Make sure to belabour the DIVs within the script part as well.
3. Execute your script by clicking the *run-Button*.
4. Toggle for testing purpose within your VUE-APP (in the script part) between the blue and pink.

2. extended CSS

1. create another css-class *.extended*
2. redefine the bgColor
3. add additional values for color, font-size, font-family, ...
4. Bind this new css-class *.extended* into the HTML-Dom (script-part)
5. Execute your script by having it *run*.

3. Save the results

1. Comment your results as you find fit within the html-comment area
2. Save your solution within W3-Save-Area.
 - Therefore you might need a W3-School-Account.
 - Be advised to name you script accordingly, i.e. *lu.s02*. This will be helpful while preparing for the exams.

Solutions

Your result is supposed to look like displayed in the following image:

```
<!DOCTYPE html>
<html>
<head>
<title>My first Vue page</title>
<style>
div {
margin: 10px;
padding: 10px;
border: solid black 1px;
display: inline-block;
}
.pinkBG{
background-color: lightpink;
}
.blueBG{
background-color: lightblue;
}
.extended{
background-color: lightblue;
color: #FF9F00; /* Farbe orange */
font-size: 28pt; /* Größe 28pt */
font-family: arial;
}
</style>
</head>
<body>
<h1>'v-bind' Example</h1>
<p>The browser finds the class name inside the Vue instance.</p>
<div id="app">
<p>Everything inside the div element with id="app" can use data from the Vue instance.</p>
<div v-bind:class="vueClass">This element is bound to the "pinkBG" class.</div>
</div>
<script src="https://unpkg.com/vue@2/dist/vue.global.js"></script>
<script>
const app = Vue.createApp({
data() {
return {
vueClass: "extended"
}
}
})
app.mount('#app')
```

'v-bind' Example

The browser finds the class name inside the Vue instance.

Everything inside the div element with id="app" can use data from the Vue instance.

This element is bound to the "pinkBG" class.



Volkan Demir

From:

<https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link:

<https://wiki.bzz.ch/en/modul/m291/learningunits/lu05/loesungen/02>

Last update: **2025/05/07 16:02**

