

LU05.S03 - v-bind with src

Hints

- Download the file and copy the content into the code area of the W3School on the left hand side of the coding window.
- You can execute the code by pressing the *run* button
- The result will be presented in the right hand side of the window.

Solution

Zipfile with solutions

Assignment

1. Find a on the internet a picture of your choice and copy the url to it.
2. Overwrite the code line in the given sourcecode
3. Execute your script by having it *run*.
4. Save your solution accordingly.
5. Download another picture of your choice.
6. Create in your W3 workspace a directory *media* and save the downloaded picture there
7. overwrite the url in the app to display your new local picture
8. Execute your script by having it *run*.
9. Save your solution accordingly. Therefore you might need a W3-School-account.

Solutions

LU05s03.html

Explain 0 Fix errors 0 Auto complete 0 Unit test 0 Refactor 0 100

```
10
11
12   img {
13     width: 100%;
14   }
15 </style>
16 </head>
17 <body>
18
19 <h1>'v-bind' Image Source Example</h1>
20
21 <div id="app">
22   <p>The browser finds the 'src' attribute value from the Vue instance with the use of 'v-bind'.</p>
23   
24   
25
26 </div>
27
28 <script src="https://unpkg.com/vue@3/dist/vue.global.js"></script>
29 <script>
30   const app = Vue.createApp({
31     data() {
32       return {
33         // local and global provided images, included both with v-bind
34         url1: "https://as2.ftcdn.net/v2/img/02/37/12/07/1000_F_237120719_Jk4y358reU7ff6tIAE6INieqGv85621F.jpg",
35         url2: "../media/cocohead_scenic.jpg",
36       }
37     }
38   })
39   app.mount('#app')
40 </script>
```

'v-bind' Image Source Example

The browser finds the 'src' attribute value from the Vue instance with the use of 'v-bind'.





Volkan Demir

From:

<https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link:

<https://wiki.bzz.ch/en/modul/m291/learningunits/lu05/loesungen/03>

Last update: **2025/03/28 09:42**

