

LU05.S08 - v-if with numbers instead of bool

Sourcecode of the solution

Sourcecode of the solution

Assignment

The first assignment checked by using v-if whether a certain variable was checked or not (true/false). Bei der ersten Aufgabe hat v-if binären Werte (true/false) geprüft. Now, we want to go one step further and check not only whether it is true or false, but moreover which value it contains. By this, we would be able to tell the customer of how many typewriters we have in stock, which may be of some benefit for the customer as well as for us.

1. Change the value of the variable *typewriter* to 0 und execute the script.
2. Note your realisations as a html-comment.
3. Change the content of the variable *typeWriter* to -1.
4. What happens, if the value *typeWiter* has no value at all respectively is empty?
5. Note your realisations as a html-comment.
6. Save your script accordingly, whether in your W3School workspace or on you local computer in your code-editor Webstorm.

The screenshot shows a web browser displaying a Vue.js application. The browser title is "Example with 'v-if' and 'v-else'". The page content shows a green box with the text "in stock". The source code is visible in the background, with several parts highlighted in red boxes. The first red box highlights the v-if and v-else directives in the HTML template. The second red box highlights the data property in the Vue instance, showing "typewritersInStock: true". The third red box highlights a comment in the JavaScript code explaining that the value of the JS variable is changed in the script part and influences the HTML part.

Vocabulary

English	German
...	...



Volkan Demir

From:
<https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link:
<https://wiki.bzz.ch/en/modul/m291/learningunits/lu05/loesungen/08?rev=1743062141>

Last update: **2025/03/27 08:55**

