

# LU05.S09 - v-else-if and v-else

## Sourcecode of the solution

[Sourcecode of the solution](#)

## Assignment

1. Change the value of the variable *typewriter* to 0 und execute the script.
2. Note your realisations as a html-comment.
3. Change the content of the variable *typeWriter* to -1.
4. What happens, if the value *typeWiter* has no value at all respectively is empty?
5. Note your realisations as a html-comment.
6. Save your script accordingly, whether in your W3School workspace or on you local computer in your code-editor Webstorm.

```

<div style="background-color: lightgreen; width: 100px; height: 100px; margin-bottom: 10px;">
```

</style>
</head>
<body>
<h1>Example with 'v-if', 'v-else-if' and 'v-else'</h1>
<p>Try changing the 'typewriterCount' value in the Vue instance to '0' or '5' and run the code again.</p>
<h2>We sell typewriters</h2>

<div id="app">
 <p v-if="typewriterCount>10">Plenty in stock
 <p v-else-if="typewriterCount>3">In stock
 <p v-else-if="typewriterCount>0">Very few left!
 <p v-else>Not in stock
</div>
<script src="https://unpkg.com/vue@3/dist/vue.global.js"></script>
<script>
const app = Vue.createApp({
 data() {
 return {
 typewriterCount: 11
 }
 }
})
app.mount('#app')
</script>

### Example with 'v-if', 'v-else-if' and 'v-else'

Try changing the 'typewriterCount' value in the Vue instance to '0' or '5' and run the code again.

#### We sell typewriters



Plenty in stock

## Vocabulary

English	German
...	...



Volkan Demir

Last update: 2025/03/25 10:33 en:modul:m291:learningunits:lu05:loesungen:09 <https://wiki.bzz.ch/en/modul/m291/learningunits/lu05/loesungen/09?rev=1742895188>

---

From:  
<https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link:  
<https://wiki.bzz.ch/en/modul/m291/learningunits/lu05/loesungen/09?rev=1742895188>

Last update: **2025/03/25 10:33**

