

# LU05.S12 - v-show simple applied to texts

## Hints

- Download the file and copy the content into the code area of the W3School on the left hand side of the coding window.
- You can execute the code by pressing the *run* button
- The result will be presented in the right hand side of the window.

## Assignment

Using the v-show directive by manipulate the value of the showDiv.

Codesolution of v-show simple

The screenshot shows a coding environment with the following components:

- Code Editor (Left):** Contains Vue.js code. A red box highlights the `showDiv` property definition:
 

```
showDiv: 0
// true: The text is visible and part of the HTML-DOM, as displayed in the browser.
// false: The text is not destroyed, but only invisible,
// hidden within HTML-DOM, and therefore not displayed in the browser -->
// 0: is equals false. Text is not destroyed, only invisible but still in the HTML-DOM.
// -1, 1, 2: is equals true. Text is not destroyed, only invisible but still in the HTML-DOM.
```
- Code Editor (Middle):** Shows the HTML template:
 

```
<div id="app">
  <div v-show="showDiv">This div tag can be hidden.</div>
</div>
```
- Browser Developer Tools (Right):** Shows the DOM tree. A red box highlights the rendered HTML:
 

```
<div id="app" data-v-app>
  <p>=&#x20;=&#x20;</p>
  <div style="display: none;">This div tag can be hidden</div>
```



Volkan Demir

From: <https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link: <https://wiki.bzz.ch/en/modul/m291/learningunits/lu05/loesungen/12?rev=1742280250>

Last update: 2025/03/18 07:44

