

LU05.S14 - v-for

Hints

- Download the file and copy the content into the code area of the W3School on the left hand side of the coding window.
- You can execute the code by pressing the *run* button
- The result will be presented in the right hand side of the window.

Codesolution of v-show simple

The screenshot shows a code editor with the following content:

```

24 <div>
25   <p v-show="showText">This div tag can be hidden </p>
26   <p v-if="showing">The Image can likewise be hidden </p>
27 </div>
28
29 <script src="https://unpkg.com/vue@3/dist/vue.global.js"></script>
30 <script>
31   const app = Vue.createApp({
32     data() {
33       return {
34         showText: false,
35         showing: false
36       }
37     }
38   })
39   // here are 4 options possible --
40   <!-- 1. showText: true, showing: true -->
41   <!-- 2. showText: true, showing: false -->
42   <!-- 3. showText: false, showing: true -->
43   <!-- 4. showText: false, showing: false -->
44 </script>

```

Annotations in the image include red circles around the `v-show="showText"` and `showText: false` attributes, and a red box around the `<!-- v-if -->` comment. A text box explains: "Find the 'showDiv' data property in the code, change it to 'false', and run the code again." Below this, a green box is shown. A red text box states: "While v-show hides the text, the v-if destroys the resources in the html-dom". The right side of the image shows the browser's DevTools console and DOM tree, with red circles highlighting the `showDiv` property in the data object and the `<!-- v-if -->` comment in the DOM tree.



Volkan Demir

From:

<https://wiki.bzz.ch/> - BZZ - Modulwiki

Permanent link:

<https://wiki.bzz.ch/en/modul/m291/learningunits/lu05/loesungen/15?rev=1742567709>

Last update: 2025/03/21 15:35

