

# LU05a - VUE Directives

## Learning objectives

1. I can explain what *Vue Directives* are.
2. I can explain what *Vue Directives* are used for.
3. I can name and explain at least five examples of directives.
4. I can use VUE directives as an example.

## Introduction

Vue directives are special tokens in *Vue.js* that extend the functionality of HTML by providing dynamic behavior to DOM elements. They are prefixed with *v-* and are used to bind data, manipulate DOM attributes, or listen to events. Common directives include *v-bind* for binding attributes, *v-if* for conditional rendering, and *v-for* for looping over data. By leveraging directives, developers can create highly interactive and reactive user interfaces with minimal effort.

## Key Features

- 1. Reactivity:** Automatically update the DOM when the underlying data changes.
- 2. Extensibility:** You can create custom directives for advanced behavior.
- 3. Simplicity:** Integrate seamlessly into templates for common tasks like event handling or conditional rendering.

## Source

- [W3School - VUE Directives](#)

## Vocabulary

English	German
token	Merkmal, Eigenschaft
to leverage	einsetzen, anwenden



Volkan Demir

Last update: 2025/01/22 13:47 en:modul:m291:learningunits:lu05:theorie:01 <https://wiki.bzz.ch/en/modul/m291/learningunits/lu05/theorie/01?rev=1737550060>

---

From:  
<https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link:  
<https://wiki.bzz.ch/en/modul/m291/learningunits/lu05/theorie/01?rev=1737550060>

Last update: **2025/01/22 13:47**

