

LU05a - VUE Directives

Learning objectives

1. I can explain what *Vue Directives* are.
2. I can explain what *Vue Directives* are used for.
3. I can name and explain at least four types of directives.
4. I can use VUE directives as an example.

Introduction

Vue directives are special tokens in *Vue.js* that extend the functionality of HTML by providing dynamic behavior to DOM elements. They are prefixed with *v-* and are used to bind data, manipulate DOM attributes, or listen to events. Common directives include *v-bind* for binding attributes, *v-if* for conditional rendering, and *v-for* for looping over data. By leveraging directives, developers can create highly interactive and reactive user interfaces with minimal effort.

Key Features

1. **Reactivity:** Automatically update the DOM when the underlying data changes.
2. **Extensibility:** You can create custom directives for advanced behavior.
3. **Simplicity:** Integrate seamlessly into templates for common tasks like event handling or conditional rendering.

Examples

1. **v-if:** Conditionally renders an element or removes it from the DOM based on the truthiness of an expression.
2. **v-for:** Iterates over a list or object, generating a new element for each item in the collection.
3. **v-bind:** Dynamically binds an attribute (e.g., ``src``, ``class``, ``style``) to an expression, allowing for reactive updates.
4. **v-model:** Creates a two-way binding between a form input or component and a Vue instance's data property.

Source

- [W3School - VUE Directives](https://www.w3schools.com/vue/)

Vocabulary

English	German
token	Merkmal, Eigenschaft
to leverage	einsetzen, anwenden



Volkan Demir

From:
<https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link:
<https://wiki.bzz.ch/en/modul/m291/learningunits/lu05/theorie/01?rev=1737550330>

Last update: **2025/01/22 13:52**

