

LU06.S01 - events

Sourcecode of the solution

Sourcecode of the solution

Assignment 1

1. Test the code example provided to you. Describe the behaviour of the script using HTML comments.
2. Which 3 lines of code are the core for incrementing the counter? Identify these and comment on them in a meaningful way.
3. Change the increment of the counter to 2, i.e. it should count up in steps of 2.

Your solution is supposed to look like the following image:


```

padding: 20px;
}
img {
width: 80%;
height: 80%;
}
</style>
</head>
<body>
<!-- 1: Beschreibung: Das Programm inkrementiert einen Counter by 1 beim Klicken eines Buttons -->
<h1>Example: Count Moose</h1>
<div id="app">

<p>{{ "Moose count: " + count }}</p>
<!-- 2: Hier wird der Mousecount angezeigt -->
<button v-on:click="count+=2">Count moose</button>
<!-- 3: Beim Klicken des Buttons wird die vue-variable count zwei hochgezählt, durch den ++Operator -->
</div>
<script src="https://unpkg.com/vue@3/dist/vue.global.js"></script>
<script>
const app = Vue.createApp({
data() {
return {
count: 0
// Die vue-variable count wird angelegt
// und mit 0 initialisiert (startwert)
}
}
})
app.mount('#app')
</script>

```

Example: Count Moose




Moose count: 10

Assignment 2

1. Establish in your webstorm-editor a new directory and name it **06_events**. Save the script in this directory.
2. To make sure, that the moose is visible as well, save the image of the image in the media-directory in webstorm
3. Adjust in your script the path to the moose-image in order to make it visible again.

```
2 <html> Show component usages
17 <body>
20
21 <h1>Example: Count Moose</h1>
22
23 <div id="app">
24 
25 <p>{{ "Moose count: " + count }}</p>
26 <!-- 2: Hier wird der Mousecount angezeigt -->
27
28 <button v-on:click="count+=2">Count moose</button>
29 <!-- 3: Beim Klicken des Buttons wird die vue-variable
30 count zwei hochgezählt, durch den ++operator -->
31
32 </div>
33
34 <script src="https://unpkg.com/vue@3/dist/vue.global.js"></script>
35 <script>
36 const app = Vue.createApp( rootComponent: {
37   data() {
38     return {
39       count: 0
40       // Die vue-variable count wird angelegt
41       // und mit 0 initialisiert (startwert)
42     }
43   }
44 }
```

Example: Count Moose



Moose count: 0

Count moose

Vocabulary

English	German
...	...



Volkan Demir

From: <https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link: <https://wiki.bzz.ch/en/modul/m291/learningunits/lu06/loesungen/01?rev=1745572928>

Last update: **2025/04/25 11:22**

