

LU07.S03 - Methods with arguments - Moose-count

Assignment A

- A01: Test the code example above which was provided to you. Describe the behaviour of the script using HTML comments.
- A02: Make sure that everything is working correctly: The moose-count uses the method **addMoose** by processing the number we need to count up or down
 1. increments by 1
 2. decrements by -1
 3. increments by +5

A03: Make sure that you have the title <h1> and have correctly named the file: **lu07.s02.html**

Assignment B

- B01: Currently we can increment by +1 and +5, and decrement by -1.
- B02: Similar to **addMoose** add method **removeMoose** which manages the decrement operations and use it.
- B03: Test your results and save it.
- B04: Add more buttons which can
 1. increment by +10
 2. decrement by -10
 3. decrement by -5
- B05: The aim is to have 3 increment-buttons (+1, +5, +10) and 3 decrement-buttons (-1, -5, -10)

Assignment C

- C01: At 0 we must stop counting, when the count reaches the zero.
- C02: Add the case below zero to your **removeMoose-method** by checking the **count** with a if-statement
- C03: Check the result: It must stop at zero when the button **removeMoose** when the count reaches 0.

Solution

Source-code of the solution


```
<html lang="en"> Show component usages
<body>
<div id="app">

</div>

<script src="https://unpkg.com/vue@3/dist/vue.global.js"></script>
<script>
  const app = Vue.createApp( rootComponent: {
    data() {
      return {
        count: 0,
        message: ""
      };
    },
    methods: {
      // Method to add moose
      addMoose(number) {
        this.count += number;
        this.message = "";
      },
      // Method to remove moose including
      // check of stop at 0
      removeMoose(number) {
        if (this.count - number >= 0) {
          this.count -= number;
          this.message = "";
        } else {
          this.message = "Sie dürfen nicht weniger als 0 Moose haben!";
        }
      }
    }
  });
  app.mount('#app');
```

LU07.A02 - MooseCount, implemented with methods

Example: Passing Arguments with Methods



Moose count: 0

+1 +5 -1 -5 +10

-10

Vocabulary

English	German
...	...



Volkan Demir

From:
<https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link:
<https://wiki.bzz.ch/en/modul/m291/learningunits/lu07/loesungen/03?rev=1746776135>

Last update: **2025/05/09 09:35**

