2025/11/12 17:03 Docker in a Docker (DinD)

Docker in a Docker (DinD)

Internal reference: topics/04-1.md


Introduction

Here are a few use cases to run docker inside a docker container.

- One potential use case for docker in docker is for the CI/CD pipeline, where you need to build and push docker images to a container registry after a successful code build.
- Modern CI/CD systems support Docker-based agents or runners where you can run all the build steps inside a container and build container images inside a container agent.
- Building Docker images with a VM is pretty straightforward. However, when you plan to use Jenkins Docker-based dynamic agents for your CI/CD pipelines, docker in docker comes as a must-have functionality.
- Sandboxed environments.
- For experimental purposes on your local development workstation.

How it works

DinD creates a child container inside a Docker container. For this, you need either an official docker image with dind tag. The dind image is baked with the required utilities for Docker to run inside a docker container. Or you build it with a Dockerfile with more control for all added packages and configuration (see Exercises in this course)



Example with ready-to-use image

(1) Create a container named i.e. dind-test with docker: dind image from Docker-Hub.

```
docker run --privileged -d --name dind-test docker:dind
```

(2) Log in to the container using exec.

```
docker exec -it dind-test /bin/sh
```

(3) When you list the docker images, you should see the Ubuntu image along with other docker images in your host.

```
docker images
```

(4) Now create a Dockerfile inside the test directory.

```
mkdir test && cd test
```

(5) Create a Dockerfile

```
nano Dockerfile
```

(6) Copy the following Dockerfile contents to test the image build from within the container.

```
FROM ubuntu:18.04

LABEL maintainer=Hans Muster <hmuster@example.com>

RUN apt-get update && \

apt-get -qy full-upgrade && \

apt-get install -qy curl && \

curl -sSL https://get.docker.com/ | sh
```

(7) Build the Dockerfile

```
docker build -t test-image .
```



From:

https://wiki.bzz.ch/ - BZZ - Modulwiki

Permanent link:

https://wiki.bzz.ch/en/modul/m324_aws/topics/07

Last update: 2025/10/15 14:02



https://wiki.bzz.ch/ Printed on 2025/11/12 17:03

2025/11/12 17:03 3/3 Docker in a Docker (DinD)