


LU02c - SQL and its sub-types

SQL and its sub-types

SQL (Structured Query Language) is a standard language for managing and manipulating relational databases. It provides a set of commands for defining, querying, manipulating, and controlling data.


In detail, SQL consists of four sub-languages, each of which is responsible for one specific set of operations:

- **DDL = Data Definition Language:** DDL commands are used to create, modify, and delete database structures, e.g. to create database instances and tables, to alter table structures or to drop databases and tables.
- **DQL = Data Query Language:** DQL commands are used to retrieve data from the database, e.g. to select table contents with and without filters and in a specific order.
- **TCL = Transaction Control Language:**
- **DML = Data Manipulation Language:** DML commands are used to insert, update and delete data in tables. DML commands are therefore used to manage table content: to insert new content or to update and delete using certain filters.
- **DCL = Data Control Language:** DCL commands are used to control access to the database. This includes the management of authorisations and the administration of user profiles. The central questions here are: „Which user is allowed to access which database object?“



Correlation of SQL and CRUD

CRUD operations is to be applied in all three layers of a three-layers-web-architecure (presentation layer, logic layer/server, data layer). Within the data layer the CRUD operations are realised as follows:



Vocabulary

English	German
to provide	bereitstellen
to query	(an-)fragen
to consists of	bestehen aus
instance	Exemplar, Komponente
to alter	verändern
therefore	daher
to access	zugreifen
to be allowed to	darf

M290-LU02



Volkan Demir

From:

<https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link:

https://wiki.bzz.ch/modul/m290/learningunits/lu02/theorie/d_sql?rev=1725000737

Last update: **2024/08/30 08:52**

