


LU04.A02 - SQL-DQL: Select from multiple tables

Requirements

- Work type: individual
- Timeframe: 30 Minutes
- Means of aid:
 - only teaching materials, no websearch, no use of ai.
 - [W3Schools | SQL Editor](#)
- Expected result: Semantically and syntactically correct SQL statements according to the requirements of the case studies.

Case studies / Assignments

The following ERD describes a order database for a a shop.



Assignments

The general assignment is to develop DQL commands that matches the requirements below:

Assignment a)

We need a list with product details as following:

- Name of the supplier
- Supplier phone
- Product ID
- Name of the product
- Units
- Price

The list must be sorted by the suppliername in descending order.

Assignment b)

Extend the the result of the Select statement from assignment a), so that it must contain only products of the supplier „Leka Trading“.

Assignment c)

We would like to know what products the customer „Hanari Carnes“ has ordered in the past. Sort the list by the quantity. detail we require the following data:

- CustomerID
- CustomerName
- OrderID
- OrderDate
- Quantity
- ProductName
- CategoryName

Solution

[Lösung](#)

Vocabulary

English	German
...	...



Volkan Demir

From:

<https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link:

<https://wiki.bzz.ch/modul/m290/learningunits/lu04/aufgaben/a02?rev=1725368060>

Last update: **2024/09/03 14:54**

