

LU04.A04 - SQL-DQL: Selects with Aggregate Functions

Requirements

- Work type: individual
- Timeframe: 20 Minutes
- Means of aid:
 - only teaching materials, no websearch, no use of ai.
 - [W3Schools](#) | [SQL Editor](#)
- Expected result: Semantically and syntactically correct SQL statements according to the requirements of the case studies.

Case studies / Assignments

The following ERD describes a order database for a a shop.

Assignments

The general assignment is to develop DQL commands that matches the requirements below:

Assignment a: MIN

We want to know which of our products is actually the most expensive.

Assignment b: MAX

What is the lowest price for the products of the supplier with id = 12?

Assignment c: AVG

What is the average price for products of supplier 3?

Assignment d: AVG

How many orders do we currently have in our data-base system from the customer with id = 5?

Assignment e: SUM

What is the worth of the order 10255? Please note, that there are two tables involved in this select statement.

Assignment f: GROUP BY

For our anual report we need list of the orders, and the value of each, grouped by the OrderID.

Solution

[Lösung](#)

Vocabulary

English	German
...	...



Volkan Demir

From:
<https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link:
<https://wiki.bzz.ch/modul/m290/learningunits/lu04/aufgaben/a04?rev=1725456894>

Last update: **2024/09/04 15:34**

