

# LU09.A01 - SQL- DCL: Preparatory Work

It is high time to mess a little around with our new SQL powers, don't you think? So, let's try it directly on our Webstorm.

As the database administrator, we want to create a new user and only grant this user the necessary rights to operate the web application, which includes DML operations such as INSERT, UPDATE, DELETE, but not DDL operations such as CREATE or DROP of tables. After all, we don't want the web application take control over our database, are we?

## Requirements

- Work type: individual
- Timeframe: 10 Minutes
- Means of aid:
  - only teaching materials, no websearch, no use of ai.
  - Webstorm with connection to the MySQL-DB
- Expected result: Prepare working environment, according to the requirements below.

## Case studies / Assignments

Before we spend elbow grease, we need to prepare our working environment. Meaning we need to prepare our computer for the assignments later.

### Task A1: Preparatory Work

**Login as root:** Login in from Webstorm to your database as *root* (sysdba = systemadministrator for the database) with your *root-password*.

### Task A2: Preparatory Work

**New Database:** Create a new database named *myDatabase*.

```
CREATE DATABASE myDatabase;
```

### Task A3: Preparatory Work

**use db:** Use that newly created db.

```
USE myDatabase;
```

## Task A4: Preparatory Work

**Create a test table:** Create a table *user* with 3 columns of your choice as a test table, and fill it with some test data.

```
CREATE TABLE user (  
  user_id INT AUTO_INCREMENT PRIMARY KEY,  
  username VARCHAR(50) NOT NULL,  
  email VARCHAR(100) NOT NULL  
);  
  
INSERT INTO user (username, email) VALUES ('john_doe',  
'john.doe@example.com');  
INSERT INTO user (username, email) VALUES ('jane_smith',  
'jane.smith@example.com');  
INSERT INTO user (username, email) VALUES ('michael_brown',  
'michael.brown@example.com');  
INSERT INTO user (username, email) VALUES ('sarah_johnson',  
'sarah.johnson@example.com');  
INSERT INTO user (username, email) VALUES ('chris_williams',  
'chris.williams@example.com');  
INSERT INTO user (username, email) VALUES ('anna_lee',  
'anna.lee@example.com');  
INSERT INTO user (username, email) VALUES ('david_kim',  
'david.kim@example.com');  
INSERT INTO user (username, email) VALUES ('laura_clark',  
'laura.clark@example.com');  
INSERT INTO user (username, email) VALUES ('jake_lewis',  
'jake.lewis@example.com');  
INSERT INTO user (username, email) VALUES ('emily_martinez',  
'emily.martinez@example.com');
```

## Solution

[Lösung](#)

## Vocabulary

English	German
explicitely	ausdrücklich
assignment	Auftrag
to revoke	widerrufen, aufheben



Volkan Demir

From:

<https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link:

<https://wiki.bzz.ch/modul/m290/learningunits/lu06/aufgaben/a01?rev=1730122716>Last update: **2024/10/28 14:38**