

LU07c - UPDATE: Daten ändern

Der Befehl UPDATE wird verwendet, um bestehende Daten in einer Tabelle zu ändern. Wichtig: Immer mit einer Bedingung (WHERE) einschränken, damit nicht alle Zeilen verändert werden.

UPDATE Statement

Syntax (mit Filter - empfohlen)

```
UPDATE tabellenname  
SET spalte1 = neuer_wert1, spalte2 = neuer_wert2  
WHERE bedingung;
```

Syntax (ohne Filter - gefährlich!)

```
UPDATE tabellenname  
SET spalte1 = neuer_wert1;
```

Ausgangstabelle:

film_id	title	director	released_year	star1
1	Lost in Translation	Sofia Coppola	2003	Scarlett Johansson
2	Inception	Christopher Nolan	2010	Leonardo DiCaprio
3	Arrival	Denis Villeneuve	2016	Amy Adams

Beispiel 1: Gezieltes Update (Primärschlüssel)

```
UPDATE favourite_film  
SET director = 'C. Nolan'  
WHERE film_id = 2;
```

film_id	title	director	released_year	star1
1	Lost in Translation	Sofia Coppola	2003	Scarlett Johansson
2	Inception	C. Nolan	2010	Leonardo DiCaprio
3	Arrival	Denis Villeneuve	2016	Amy Adams

Beispiel 2: Mehrere Spalten ändern

```
UPDATE favourite_film  
SET title = 'Arrival (Extended Cut)', star1 = 'Amy Adams'  
WHERE film_id = 3;
```

film_id	title	director	released_year	star1
1	Lost in Translation	Sofia Coppola	2003	Scarlett Johansson
2	Inception	C. Nolan	2010	Leonardo DiCaprio
3	Arrival (Extended Cut)	Denis Villeneuve	2016	Amy Adams

Beispiel 3: Semantisches Update

```
UPDATE favourite_film
SET star1 = 'TBD'
WHERE star1 IS NULL;
```

Warnung: Ohne WHERE würden **alle Zeilen** der Spalte mit dem *SET*-Befehl geändert.

From:
<https://wiki.bzz.ch/> - **BZZ - Modulwiki**

Permanent link:
https://wiki.bzz.ch/de/modul/m290_guko/learningunits/lu07/theorie/c_update

Last update: **2026/08/13 16:06**

